

Date : June 09, 2023

CERTIFICATE OF ANALYSIS – GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 23E26-NPA02

Customer identification : Cinnamon - Sri Lanka - NPS00052 - Lot # NP0020

Type : Essential oil

Source : *Cinnamomum zeylanicum*

Customer : Nature Packaged

ANALYSIS

Method: PC-MAT-014  - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID (in French); identifications validated by GC-MS.

Analyst : Amélie Simard, Analyste

Analysis date : June 07, 2023

Checked and approved by :



Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

This report is an update from the first version issued on June 9, 2023, to format it for online publication.

*P*HYSICO*C*HEMICAL *D*ATA

Physical aspect: Yellow liquid

Refractive index: 1.5332 ± 0.0003 (20 °C; method PC-MAT-016)

*C*ONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY – CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

| Identification | % | Class |
|-------------------------------------|------|------------------------|
| Isovaleral | tr | Aliphatic aldehyde |
| Hexanal | tr | Aliphatic aldehyde |
| Styrene | 0.03 | Simple phenolic |
| Tricyclene | 0.02 | Monoterpene |
| α -Thujene | 0.15 | Monoterpene |
| α -Pinene | 1.04 | Monoterpene |
| α -Fenchene | 0.02 | Monoterpene |
| Camphene | 0.34 | Monoterpene |
| Benzaldehyde | 0.17 | Simple phenolic |
| Sabinene | 0.02 | Monoterpene |
| β -Pinene | 0.32 | Monoterpene |
| 6-Methyl-5-hepten-2-one | 0.01 | Aliphatic ketone |
| Myrcene | 0.14 | Monoterpene |
| Pseudolimonene | 0.01 | Monoterpene |
| Octanal | 0.01 | Aliphatic aldehyde |
| α -Phellandrene | 1.15 | Monoterpene |
| Δ^3 -Carene | 0.09 | Monoterpene |
| α -Terpinene | 0.13 | Monoterpene |
| meta-Cymene | 0.02 | Monoterpene |
| para-Cymene | 0.73 | Monoterpene |
| 1,8-Cineole | 0.54 | Monoterpenic ether |
| Limonene | 0.32 | Monoterpene |
| Benzyl alcohol | 0.04 | Simple phenolic |
| (Z)- β -Ocimene | 0.04 | Monoterpene |
| (E)- β -Ocimene | 0.06 | Monoterpene |
| γ -Terpinene | 0.04 | Monoterpene |
| cis-Linalool oxide (fur.) | 0.03 | Monoterpenic alcohol |
| Isoterpinolene | 0.02 | Monoterpene |
| Terpinolene | 0.11 | Monoterpene |
| trans-Linalool oxide (fur.) | 0.03 | Monoterpenic alcohol |
| para-Cymenene | 0.02 | Monoterpene |
| trans-Sabinene hydrate | 0.01 | Monoterpenic alcohol |
| Linalool | 2.12 | Monoterpenic alcohol |
| (3E)-2,7-Dimethyl-3,6-octadien-2-ol | 0.06 | Monoterpenic alcohol |
| Phenylethyl alcohol | 0.01 | Simple phenolic |
| cis-para-Menth-2-en-1-ol | 0.02 | Monoterpenic alcohol |
| trans-Pinocarveol | 0.01 | Monoterpenic alcohol |
| Camphor | 0.02 | Monoterpenic ketone |
| Camphene hydrate | 0.01 | Monoterpenic alcohol |
| Hydrocinnamal | 0.08 | Phenylpropanoid |
| Borneol | 0.04 | Monoterpenic alcohol |
| Benzyl acetate | 0.04 | Phenolic ester |
| 3-Methylbenzofuran? | 0.05 | Phenylpropanoid |
| Terpinen-4-ol | 0.10 | Monoterpenic alcohol |
| Cryptone | 0.02 | Normonoterpenic ketone |

| | | |
|---|-------|------------------------|
| para-Cymen-8-ol | 0.04 | Monoterpenic alcohol |
| α -Terpineol | 0.26 | Monoterpenic alcohol |
| cis- α -Phellandrene epoxide (iPr vs Me) | 0.05 | Monoterpenic ether |
| trans-Piperitol | 0.03 | Monoterpenic alcohol |
| (Z)-Cinnamal | 0.02 | Phenylpropanoid |
| Hydrocinnamyl alcohol | 0.10 | Phenylpropanoid |
| ortho-Anisaldehyde | 0.02 | Simple phenolic |
| Phenylethyl acetate | 0.02 | Phenolic ester |
| (E)-Cinnamal | 1.33 | Phenylpropanoid |
| Chavicol | 0.13 | Phenylpropanoid |
| Safrole | 0.80 | Phenylpropanoid |
| (E)-Cinnamyl alcohol | 0.11 | Phenylpropanoid |
| α -Cubebene | 0.03 | Sesquiterpene |
| Eugenol | 75.49 | Phenylpropanoid |
| ortho-Methoxyhydrocinnamal? | 0.07 | Phenylpropanoid |
| Hydrocinnamyl acetate | 0.11 | Phenylpropanoid ester |
| α -Copaene | 0.53 | Sesquiterpene |
| cis- β -Elemene | 0.03 | Sesquiterpene |
| β -Cubebene | 0.03 | Sesquiterpene |
| β -Elemene | 0.03 | Sesquiterpene |
| α -Gurjunene | 0.01 | Sesquiterpene |
| Methyleugenol | 0.04 | Phenylpropanoid |
| β -Caryophyllene | 3.02 | Sesquiterpene |
| Aromadendrene | 0.04 | Sesquiterpene |
| (E)-Cinnamyl acetate | 1.39 | Phenylpropanoid ester |
| α -Humulene | 0.55 | Sesquiterpene |
| allo-Aromadendrene | 0.02 | Sesquiterpene |
| trans-Cadina-1(6),4-diene | 0.01 | Sesquiterpene |
| γ -Murolene | 0.02 | Sesquiterpene |
| Germacrene D | 0.02 | Sesquiterpene |
| ar-Curcumene | 0.02 | Sesquiterpene |
| Viridiflorene | 0.05 | Sesquiterpene |
| Bicyclogermacrene | 0.08 | Sesquiterpene |
| α -Murolene | 0.03 | Sesquiterpene |
| γ -Cadinene | 0.05 | Sesquiterpene |
| trans-Calamenene | 0.02 | Sesquiterpene |
| δ -Cadinene | 0.08 | Sesquiterpene |
| Eugenyl acetate | 2.01 | Phenylpropanoid ester |
| (E)-ortho-Methoxycinnamal | 0.01 | Phenylpropanoid |
| α -Calacorene | 0.01 | Sesquiterpene |
| Isocaryophyllene epoxide B | 0.02 | Sesquiterpenic ether |
| Caryophyllenyl alcohol | 0.02 | Sesquiterpenic alcohol |
| Spathulenol | 0.04 | Sesquiterpenic alcohol |
| Caryophyllene oxide | 0.35 | Sesquiterpenic ether |
| Humulene epoxide II | 0.07 | Sesquiterpenic ether |
| 1,10-diepi-Cubenol | 0.02 | Sesquiterpenic alcohol |
| Caryophylladienol I | 0.02 | Sesquiterpenic alcohol |
| Caryophylladienol II | 0.03 | Sesquiterpenic alcohol |
| τ -Muurolol | 0.04 | Sesquiterpenic alcohol |
| (3Z)-Caryophylla-3,8(13)-dien-5 β -ol | 0.03 | Sesquiterpenic alcohol |
| (E)-Coniferyl alcohol | 0.02 | Phenylpropanoid |
| Benzyl benzoate | 3.25 | Phenolic ester |

Laboratoire
PhytoChemia

Plus que des analyses... des conseils

| | | |
|---------------------------|---------------|----------------|
| Phenylethyl benzoate | 0.05 | Phenolic ester |
| Unknown | 0.01 | Unknown |
| Unknown | 0.03 | Lignan |
| Unknown | 0.02 | Lignan |
| Consolidated total | 98.96% | |


tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

This page was intentionally left blank. The following pages present the complete data of the analysis.



DB-WAX



Laboratoire
PhytoChemia

Plus que des analyses... des conseils

FULL ANALYSIS DATA

| Identification | Column DB-5 | | | Column DB-WAX | | |
|-------------------------------------|-------------|------|--------|---------------|------|--------|
| | R.T | R.I | % | R.T | R.I | % |
| Isovaleral | 0.65 | 640 | tr | 0.68 | 887 | tr |
| Hexanal | 1.53 | 799 | tr | 1.67 | 1043 | tr |
| Styrene | 2.58 | 886 | 0.03 | 3.51 | 1207 | 0.04 |
| Tricyclene | 3.01 | 918 | 0.02 | 1.12 | 974 | 0.01 |
| α -Thujene | 3.12 | 926 | 0.15 | 1.28 | 1003 | 0.14 |
| α -Pinene | 3.20 | 930 | 1.04 | 1.23 | 993 | 1.04 |
| α -Fenchene | 3.39* | 943 | 0.36 | 1.48 | 1023 | 0.02 |
| Camphene | 3.39* | 943 | [0.36] | 1.53 | 1029 | 0.34 |
| Benzaldehyde | 3.55 | 953 | 0.17 | 6.91* | 1456 | 0.18 |
| Sabinene | 3.82* | 971 | 0.34 | 2.07 | 1085 | 0.02 |
| β -Pinene | 3.82* | 971 | [0.34] | 1.90 | 1067 | 0.32 |
| 6-Methyl-5-hepten-2-one | 4.05 | 987 | 0.01 | | | |
| Myrcene | 4.14 | 992 | 0.14 | 2.64 | 1135 | 0.14 |
| Pseudolimonene | 4.28* | 1002 | 1.15 | 2.59 | 1132 | 0.01 |
| Octanal | 4.28* | 1002 | [1.15] | 4.12 | 1255 | 0.01 |
| α -Phellandrene | 4.28* | 1002 | [1.15] | 2.55 | 1128 | 1.15 |
| Δ 3-Carene | 4.37 | 1007 | 0.09 | 2.36 | 1113 | 0.09 |
| α -Terpinene | 4.48 | 1014 | 0.13 | 2.71 | 1141 | 0.12 |
| meta-Cymene | 4.56 | 1019 | 0.02 | 3.80* | 1230 | 0.74 |
| para-Cymene | 4.60 | 1022 | 0.73 | 3.80* | 1230 | [0.74] |
| 1,8-Cineole | 4.67*† | 1026 | 0.86 | 3.02 | 1167 | 0.54 |
| Limonene | 4.67*† | 1026 | [0.86] | 2.93 | 1159 | 0.32 |
| Benzyl alcohol | 4.85 | 1037 | 0.04 | 11.29* | 1813 | 0.05 |
| (Z)- β -Ocimene | 4.89 | 1040 | 0.04 | 3.53* | 1209 | 0.07 |
| (E)- β -Ocimene | 5.04 | 1049 | 0.06 | 3.70 | 1222 | 0.06 |
| γ -Terpinene | 5.16 | 1057 | 0.04 | 3.53* | 1209 | [0.07] |
| cis-Linalool oxide (fur.) | 5.38 | 1070 | 0.03 | 6.17 | 1401 | 0.02 |
| Isoterpinolene | 5.60 | 1084 | 0.02 | 3.93 | 1240 | 0.02 |
| Terpinolene | 5.62* | 1086 | 0.16 | 3.99 | 1244 | 0.11 |
| trans-Linalool oxide (fur.) | 5.62* | 1086 | [0.16] | 6.54 | 1428 | 0.03 |
| para-Cymenene | 5.62* | 1086 | [0.16] | 5.97 | 1386 | 0.02 |
| trans-Sabinene hydrate | 5.79 | 1096 | 0.01 | 7.58 | 1507 | 0.01 |
| Linalool | 5.89 | 1102 | 2.12 | 7.71 | 1517 | 2.13 |
| (3E)-2,7-Dimethyl-3,6-octadien-2-ol | 5.94 | 1105 | 0.06 | 7.84 | 1527 | 0.02 |
| Phenylethyl alcohol | 6.05 | 1112 | 0.01 | 11.69 | 1849 | 0.02 |
| cis-para-Menth-2-en-1-ol | 6.15 | 1119 | 0.02 | 7.74 | 1520 | 0.01 |
| trans-Pinocarveol | 6.39 | 1134 | 0.01 | 8.76 | 1600 | 0.01 |
| Camphor | 6.42 | 1136 | 0.02 | 6.91* | 1456 | [0.18] |
| Camphene hydrate | 6.52 | 1142 | 0.01 | 8.08* | 1547 | 3.03 |
| Hydrocinnamal | 6.75 | 1157 | 0.08 | 10.06* | 1707 | 0.15 |
| Borneol | 6.84* | 1162 | 0.08 | 9.39* | 1651 | 0.30 |
| Benzyl acetate | 6.84* | 1162 | [0.08] | 9.60 | 1669 | 0.04 |
| 3-Methylbenzofuran? | 6.90 | 1166 | 0.05 | 9.74 | 1681 | 0.03 |
| Terpinen-4-ol | 7.01 | 1174 | 0.10 | 8.19* | 1555 | 0.12 |
| Cryptone | 7.10 | 1179 | 0.02 | 8.74 | 1598 | 0.01 |
| para-Cymen-8-ol | 7.18 | 1184 | 0.04 | 11.10 | 1797 | 0.03 |

Laboratoire
PhytoChemia

Plus que des analyses... des conseils

| | | | | | | |
|---|--------|------|--------|--------|------|--------|
| α -Terpineol | 7.24 | 1188 | 0.26 | 9.39* | 1651 | [0.30] |
| <i>cis</i> - α -Phellandrene epoxide (iPr vs Me) | 7.41 | 1199 | 0.05 | 10.60 | 1754 | 0.05 |
| <i>trans</i> -Piperitol | 7.51 | 1205 | 0.03 | 9.97 | 1700 | 0.01 |
| (Z)-Cinnamal | 7.63 | 1213 | 0.02 | 11.29* | 1813 | [0.05] |
| Hydrocinnamyl alcohol | 7.87 | 1229 | 0.10 | 13.12 | 1981 | 0.09 |
| ortho-Anisaldehyde | 7.97 | 1236 | 0.02 | 12.10 | 1886 | 0.03 |
| Phenylethyl acetate | 8.24 | 1254 | 0.02 | 10.66 | 1758 | 0.02 |
| (E)-Cinnamal | 8.39 | 1264 | 1.33 | 12.87* | 1957 | 1.40 |
| Chavicol | 8.47 | 1270 | 0.13 | 15.99 | 2269 | 0.15 |
| Safrole | 8.68 | 1283 | 0.80 | 11.20 | 1805 | 0.81 |
| (E)-Cinnamyl alcohol | 9.05 | 1308 | 0.11 | 15.43 | 2209 | 0.13 |
| α -Cubebene | 9.60 | 1347 | 0.03 | 6.48 | 1424 | 0.02 |
| Eugenol | 9.85 | 1364 | 75.49 | 14.36 | 2101 | 75.51 |
| ortho-Methoxyhydrocinnamal? | 9.90 | 1368 | 0.07 | | | |
| Hydrocinnamyl acetate | 9.92 | 1370 | 0.11 | 12.01 | 1878 | 0.08 |
| α -Copaene | 9.96 | 1372 | 0.53 | 6.84 | 1451 | 0.50 |
| <i>cis</i> - β -Elemene | 10.07 | 1380 | 0.03 | 7.95 | 1536 | 0.01 |
| β -Cubebene | 10.14 | 1385 | 0.03 | 7.45 | 1497 | 0.02 |
| β -Elemene | 10.21 | 1390 | 0.03 | 8.08* | 1547 | [3.03] |
| α -Gurjunene | 10.41* | 1404 | 0.05 | 7.27 | 1483 | 0.01 |
| Methyleugenol | 10.41* | 1404 | [0.05] | 12.87* | 1957 | [1.40] |
| β -Caryophyllene | 10.54 | 1414 | 3.02 | 8.08* | 1547 | [3.03] |
| Aromadendrene | 10.80 | 1433 | 0.04 | 8.19* | 1555 | [0.12] |
| (E)-Cinnamyl acetate | 10.92 | 1442 | 1.39 | 14.19 | 2084 | 1.37 |
| α -Humulene | 10.99 | 1447 | 0.55 | 8.93 | 1614 | 0.52 |
| allo-Aromadendrene | 11.08 | 1454 | 0.02 | 8.65 | 1592 | 0.02 |
| <i>trans</i> -Cadina-1(6),4-diene | 11.28 | 1469 | 0.01 | 8.82 | 1605 | 0.01 |
| γ -Muurolene | 11.33 | 1472 | 0.02 | 9.24 | 1639 | 0.04 |
| Germacrene D | 11.37 | 1475 | 0.02 | 9.42 | 1654 | 0.02 |
| ar-Curcumene | 11.43 | 1480 | 0.02 | 10.30 | 1727 | 0.02 |
| Viridiflorene | 11.57* | 1490 | 0.16 | 9.30 | 1644 | 0.05 |
| Bicyclogermacrene | 11.57* | 1490 | [0.16] | 9.69* | 1677 | 0.12 |
| α -Muurolene | 11.65 | 1496 | 0.03 | 9.69* | 1677 | [0.12] |
| γ -Cadinene | 11.81 | 1509 | 0.05 | 10.03 | 1704 | 0.04 |
| <i>trans</i> -Calamenene | 11.95* | 1519 | 0.13 | 10.85 | 1775 | 0.02 |
| δ -Cadinene | 11.95* | 1519 | [0.13] | 10.06* | 1707 | [0.15] |
| Eugenyl acetate | 12.02* | 1525 | 2.04 | 15.26 | 2192 | 2.01 |
| (E)-ortho-Methoxycinnamal | 12.02* | 1525 | [2.04] | 16.70 | 2346 | 0.01 |
| α -Calacorene | 12.17 | 1536 | 0.01 | 11.66 | 1846 | 0.01 |
| Isocaryophyllene epoxide B | 12.27 | 1544 | 0.02 | 11.72 | 1852 | 0.01 |
| Caryophyllenyl alcohol | 12.50 | 1563 | 0.02 | 13.22 | 1990 | 0.01 |
| Spathulenol | 12.61 | 1571 | 0.04 | 13.99 | 2065 | 0.06 |
| Caryophyllene oxide | 12.65 | 1574 | 0.35 | 12.36 | 1909 | 0.40 |
| Humulene epoxide II | 12.98 | 1600 | 0.07 | 12.95 | 1965 | 0.07 |
| 1,10-diepi-Cubenol | 13.25 | 1622 | 0.02 | 12.99 | 1968 | 0.01 |
| Caryophylladienol I | 13.29 | 1625 | 0.02 | 15.54 | 2221 | 0.01 |
| Caryophylladienol II | 13.34 | 1629 | 0.03 | 15.60 | 2228 | 0.03 |

Laboratoire
PhytoChemia

Plus que des analyses... des conseils

| | | | | | | |
|--|-------|---------------|------|-------|---------------|------|
| t-Muurolol | 13.42 | 1636 | 0.04 | 14.62 | 2127 | 0.02 |
| (3Z)-Caryophylla-3,8(13)-dien-5β-ol | 13.79 | 1667 | 0.03 | 16.36 | 2308 | 0.04 |
| (E)-Coniferyl alcohol | 14.58 | 1733 | 0.02 | | | |
| Benzyl benzoate | 14.84 | 1756 | 3.25 | 18.37 | 2533 | 3.22 |
| Phenylethyl benzoate | 15.84 | 1844 | 0.05 | 19.08 | 2617 | 0.03 |
| Unknown [m/z 93, 92 (57), 136 (34), 91 (23), 77 (13), 134 (11)...] | 17.12 | 1963 | 0.01 | | | |
| Unknown [m/z 326, 148 (67), 147 (41), 117 (30), 91 (22)...] | 22.18 | 2501 | 0.03 | | | |
| Unknown [m/z 326, 150 (54), 161 (42), 202 (41), 201 (28)] | 22.41 | 2528 | 0.02 | | | |
| Total identified | | 98.96% | | | 98.52% | |
| Total reported | | 99.02% | | | 98.52% | |

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index