

Date : 2023-10-16

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 23J06-NPA02


Customer Identification : Spearmint - Mentha Spicata - India - NPS00111 - Lot # NP0235

Type : Essential Oil

Source : Mentha spicata

Customer : Nature Packaged

Checked and approved by:



Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

This report is an update from the first version issued on 2023-10-16 to format it for online publication.

GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

✖ISO

Results : See analysis summary (next page)

Analyst : Benoit Roger, Ph. D.

Date : 2023-10-16

PHYSICOCHEMICAL DATA

Refractive index : 1.4905 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2023-10-10

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Isovaleral	0.01	Aliphatic aldehyde
2-Methylbutyral	tr	Aliphatic aldehyde
2-Ethylfuran	tr	Furan
Isoamyl alcohol	0.01	Aliphatic alcohol
2-Methylbutanol	0.01	Aliphatic alcohol
Methyl 2-methylbutyrate	tr	Aliphatic ester
Ethyl 2-methylbutyrate	0.01	Aliphatic ester
(3Z)-Hexenol	0.01	Aliphatic alcohol
Hexanol	tr	Aliphatic alcohol
<i>trans</i> -2,5-Diethyltetrahydrofuran	0.06	Furan
Hashishene	0.07	Monoterpene
α -Thujene	0.04	Monoterpene
α -Pinene	0.74	Monoterpene
α -Fenchene	0.01	Monoterpene
Camphene	0.02	Monoterpene
3-Methylcyclohexanone	0.09	Aliphatic ketone
Thuja-2,4(10)-diene	0.01	Monoterpene
β -Pinene	0.94	Monoterpene
Sabinene	0.44	Monoterpene
Octen-3-ol	0.03	Aliphatic alcohol
Octan-3-one	0.10	Aliphatic ketone
Myrcene	1.41	Monoterpene
Octan-3-ol	0.32	Aliphatic alcohol
Pseudolimonene	0.03	Monoterpene
α -Phellandrene	0.08	Monoterpene
Octanal	0.05	Aliphatic aldehyde
Δ^3 -Carene	0.03	Monoterpene
α -Terpinene	0.09	Monoterpene
Carvomenthene	0.02	Aliphatic alcohol
<i>para</i> -Cymene	0.29	Monoterpene
Limonene	17.52	Monoterpene
1,8-Cineole	1.40	Monoterpenic ether
2-Ethylhexanol	0.02	Aliphatic alcohol
(Z)- β -Ocimene	0.06	Monoterpene
(E)- β -Ocimene	0.05	Monoterpene
γ -Terpinene	0.17	Monoterpene
<i>cis</i> -Sabinene hydrate	0.18	Monoterpenic alcohol
Octanol	0.03	Aliphatic alcohol
Terpinolene	0.07	Monoterpene
<i>para</i> -Cymenene	0.03	Monoterpene

<i>trans</i> -Sabinene hydrate	0.02	Monoterpenic alcohol
Linalool	0.04	Monoterpenic alcohol
<i>trans-para</i> -Mentha-2,8-dien-1-ol	0.04	Monoterpenic alcohol
Octan-3-yl acetate	0.11	Aliphatic ester
<i>cis</i> -Limonene oxide	0.03	Monoterpenic ether
<i>cis-para</i> -Mentha-2,8-dien-1-ol	0.07	Monoterpenic alcohol
Camphor	0.02	Monoterpenic ketone
Isopulegol	0.02	Monoterpenic alcohol
Menthone	0.09	Monoterpenic ketone
Isomenthone	0.06	Monoterpenic ketone
neo-Menthol	0.05	Monoterpenic alcohol
δ -Terpineol	0.04	Monoterpenic alcohol
Menthol	0.42	Monoterpenic alcohol
Terpinen-4-ol	0.34	Monoterpenic alcohol
α -Terpineol	0.14	Monoterpenic alcohol
<i>cis</i> -Dihydrocarvone	1.04	Monoterpenic ketone
neo-Dihydrocarveol	0.18	Monoterpenic alcohol
Dihydrocarveol	0.22	Monoterpenic alcohol
<i>trans</i> -Dihydrocarvone	0.18	Monoterpenic ketone
<i>trans</i> -Piperitol	0.01	Monoterpenic alcohol
iso-Dihydrocarveol ?	0.01	Monoterpenic alcohol
<i>trans</i> -Carveol	0.21	Monoterpenic alcohol
Pulegone	0.02	Monoterpenic ketone
<i>cis</i> -Carveol	0.11	Monoterpenic alcohol
Carvone	68.00	Monoterpenic ketone
Piperitone	0.16	Monoterpenic ketone
<i>cis</i> -Carvone oxide	0.02	Monoterpenic ketone
Isopiperitenone	0.02	Monoterpenic ketone
<i>trans</i> -Carvone oxide	0.04	Monoterpenic ketone
Decanol	0.27	Aliphatic alcohol
Dihydroedulan I	0.02	Terpenic ether
Menthyl acetate	0.05	Monoterpenic ester
Isomenthyl acetate	0.01	Monoterpenic alcohol
Dihydrocarvyl acetate	0.19	Monoterpenic ester
Bicycloelemene	0.02	Sesquiterpene
<i>trans</i> -Carvyl acetate	0.01	Monoterpenic ester
α -Cubebene	0.01	Sesquiterpene
iso-Dihydrocarvyl acetate	0.01	Monoterpenic ester
<i>cis</i> -Carvyl acetate	0.14	Monoterpenic ester
α -Copaene	0.04	Sesquiterpene
β -Bourbonene	0.65	Sesquiterpene
1,5-diepi- β -Bourbonene	0.06	Sesquiterpene
β -Elemene	0.13	Sesquiterpene
(<i>Z</i>)-Jasmone	0.09	Jasmonate
Unknown	0.04	Sesquiterpene

Isocaryophyllene	0.02	Sesquiterpene
β -Ylangene	0.15	Sesquiterpene
β -Caryophyllene	0.39	Sesquiterpene
β -Copaene	0.08	Sesquiterpene
Isogermacrene D	0.06	Sesquiterpene
(<i>E</i>)- β -Farnesene	0.22	Sesquiterpene
Unknown	0.04	Sesquiterpene
Germacrene D	0.23	Sesquiterpene
α -Muurolene	0.02	Sesquiterpene
γ -Cadinene	0.01	Sesquiterpene
δ -Cadinene	0.02	Sesquiterpene
Caryophyllene oxide isomer	0.01	Sesquiterpenic ether
Caryophyllene oxide	0.04	Sesquiterpenic ether
Viridiflorol	0.05	Sesquiterpenic alcohol
Consolidated total	99.26	

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value (xx): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

Isovaleral	Column DB-WAX			Column DB-5		
	0.85	890.3	0.01	0.64	643.0	0.01
2-Methylbutyral	0.83	883.3	tr	0.68	653.3	tr
2-Ethylfuran	1.03	922.5	tr	0.82	703.0	tr
Isoamyl alcohol	3.67*	1179.4	[0.02]	1.04	734.2	0.01
2-Methylbutanol	3.67*	1179.4	[0.02]	1.06	737.2	0.01
Methyl 2-methylbutyrate	1.42	980.6	tr	1.34	775.7	tr
Ethyl 2-methylbutyrate	1.82	1025.3	0.01	2.11	850.7	0.01
(3Z)-Hexenol	6.04	1351.1	0.02	2.21	859.1	0.01
Hexanol	5.68	1325.4	0.01	2.40	874.9	tr
<i>trans</i> -2,5-Diethyltetrahydrofuran	1.71	1014.8	0.07	2.67	896.8	0.06
Hashishene	1.51*	994.0	[0.83]	2.95	916.8	0.07
α -Thujene	1.57	1001.6	0.04	3.10	926.8	0.04
α -Pinene	1.51*	994.0	[0.83]	3.18	931.7	0.74
α -Fenchene	1.80	1022.9	0.01	3.34*	942.1	[0.03]
Camphene	1.87	1029.4	0.02	3.34*	942.1	[0.03]
3-Methylcyclohexanone	4.94	1270.3	0.06	3.36	943.5	0.09
Thuja-2,4(10)-diene	2.47*	1086.2	[0.44]	3.47	950.6	0.01
β -Pinene	2.28	1068.6	0.94	3.80*	972.6	[1.38]
Sabinene	2.47*	1086.2	[0.44]	3.80*	972.6	[1.38]
Octen-3-ol	6.94	1415.4	0.02	3.96	982.8	0.03
Octan-3-one	4.20*	1217.8	[0.09]	4.03	987.5	0.10
Myrcene	3.08	1134.7	1.41	4.12	993.6	1.41
Octan-3-ol	6.30	1369.8	0.32	4.23	1000.4	0.32
Pseudolimonene	2.98	1127.4	0.03	4.25*	1001.7	[0.09]
α -Phellandrene	3.03	1130.7	0.08	4.25*	1001.7	[0.09]
Octanal	4.66	1250.6	0.02	4.26	1003.0	0.05
Δ^3 -Carene	2.78	1112.1	0.03	4.35	1008.4	0.03
α -Terpinene	3.17	1141.1	0.09	4.46	1015.2	0.09
Carvomenthene	2.64	1101.2	0.03	4.54	1020.0	0.02
<i>para</i> -Cymene	4.33	1227.1	0.28	4.58	1023.1	0.29
Limonene	3.44	1161.8	17.52	4.69*	1029.7	[18.95]
1,8-Cineole	3.53	1168.5	1.40	4.69*	1029.7	[18.95]
2-Ethylhexanol	7.51	1456.9	0.02	4.72	1031.3	0.02
(Z)- β -Ocimene	4.00	1203.5	0.05	4.87	1040.7	0.06
(E)- β -Ocimene	4.20*	1217.8	[0.09]	5.02	1050.4	0.05
γ -Terpinene	4.03	1205.8	0.18	5.14	1057.8	0.17
<i>cis</i> -Sabinene hydrate	7.16	1431.3	0.19	5.27	1065.9	0.18
Octanol	8.37*	1521.2	[0.04]	5.45	1077.0	0.03
Terpinolene	4.52	1240.0	0.07	5.60*	1086.5	[0.10]
<i>para</i> -Cymenene	6.58	1389.5	0.03	5.60*	1086.5	[0.10]

<i>trans</i> -Sabinene hydrate	8.21	1508.9	0.03	5.76	1096.4	0.02
Linalool	8.32	1517.3	0.04	5.86	1102.4	0.04
<i>trans-para</i> -Mentha-2,8-dien-1-ol	9.21	1585.6	0.05	6.12	1119.2	0.04
Octan-3-yl acetate	5.48	1311.1	0.10	6.26	1128.1	0.11
<i>cis</i> -Limonene oxide	6.69	1396.8	0.02	6.29	1130.0	0.03
<i>cis-para</i> -Mentha-2,8-dien-1-ol	9.74	1628.1	0.06	6.36	1134.7	0.07
Camphor	7.42	1450.4	0.02	6.42	1138.0	0.02
Isopulegol	8.37*	1521.2	[0.04]	6.49	1142.7	0.02
Menthone	6.89	1411.7	0.10	6.60	1149.4	0.09
Isomenthone	7.25	1438.1	0.04	6.75	1159.2	0.06
neo-Menthol	8.84*	1557.2	[0.34]	6.83	1164.2	0.05
δ -Terpineol	9.70*	1624.8	[0.21]	6.84	1165.1	0.04
Menthol	9.39	1599.9	0.47	6.96	1172.6	0.42
Terpinen-4-ol	8.84*	1557.2	[0.34]	6.99	1174.3	0.34
α -Terpineol	10.09*	1655.9	[0.37]	7.23	1189.5	0.14
<i>cis</i> -Dihydrocarvone	8.75	1550.7	1.01	7.28	1192.6	1.04
neo-Dihydrocarveol	10.40	1680.8	0.22	7.31	1195.1	0.18
Dihydrocarveol	10.69*	1704.8	[0.20]	7.36*	1198.3	[0.39]
<i>trans</i> -Dihydrocarvone	8.97	1567.4	0.18	7.36*	1198.3	[0.39]
<i>trans</i> -Piperitol	10.65*	1700.7	[0.02]	7.51	1207.8	0.01
iso-Dihydrocarveol ?	11.07	1736.2	0.01	7.62	1214.9	0.01
<i>trans</i> -Carveol	11.67	1786.6	0.21	7.78	1225.8	0.21
Pulegone	9.13	1579.4	0.01	7.92	1235.3	0.02
<i>cis</i> -Carveol	12.00	1815.8	0.11	8.12*	1248.2	[68.11]
Carvone	10.37*	1678.1	[67.76]	8.12*	1248.2	[68.11]
Piperitone	10.18	1663.0	0.12	8.17	1251.6	0.16
<i>cis</i> -Carvone oxide	11.14	1742.3	0.01	8.27	1258.1	0.02
Isopiperitenone	11.48*	1770.9	[0.08]	8.40	1267.1	0.02
<i>trans</i> -Carvone oxide	11.48*	1770.9	[0.08]	8.52	1274.7	0.04
Decanol	10.98	1728.7	0.31	8.55	1276.9	0.27
Dihydroedulan I	7.33	1443.7	0.01	8.65	1283.8	0.02
Menthyl acetate	8.40*	1523.9	[0.17]	8.79	1293.2	0.05
Isomenthyl acetate	8.54	1534.2	0.03	8.98	1305.5	0.01
Dihydrocarvyl acetate	9.70*	1624.8	[0.21]	9.29	1327.5	0.19
Bicycloelemene	7.28	1440.6	0.04	9.38	1334.3	0.02
<i>trans</i> -Carvyl acetate	10.48	1686.9	0.01	9.42	1337.0	0.01
α -Cubebene	6.98	1418.3	0.01	9.57	1347.0	0.01
iso-Dihydrocarvyl acetate				9.70	1356.7	0.01
<i>cis</i> -Carvyl acetate	10.86	1718.4	0.14	9.78	1361.8	0.14
α -Copaene	7.38	1448.0	0.03	9.92	1372.0	0.04
β -Bourbonene	7.73	1473.1	0.67	10.03	1379.9	0.65

1,5-diepi-β-Bourbonene	7.62	1464.9	0.06	10.05	1381.3	0.06
β-Elemene	8.67*	1544.1	[0.51]	10.16	1389.2	0.13
(Z)-Jasmone	12.69	1876.1	0.07	10.22	1393.4	0.09
Unknown MEPI VIII [m/z 106, 119 (99), 43 (78), 91 (74), 105 (60), 134 (55)... 204 (19)]	11.81	1798.5	0.01	10.33	1401.0	0.04
Isocaryophyllene	8.44	1527.0	0.04	10.36	1402.9	0.02
β-Ylangene	8.40*	1523.9	[0.17]	10.50*	1413.0	[0.54]
β-Caryophyllene	8.67*	1544.1	[0.51]	10.50*	1413.0	[0.54]
β-Copaene	8.61	1539.6	0.07	10.64	1423.6	0.08
Isogermacrene D	9.26	1589.7	0.07	10.84	1438.5	0.06
(E)-β-Farnesene	9.83	1634.9	0.23	11.10	1457.6	0.22
Unknown MISC XLIX [m/z 161, 105 (56), 91 (50), 93 (36), 119 (33), 79 (31)...204 (5)]				11.13	1459.8	0.04
Germacrene D	10.09*	1655.9	[0.37]	11.33	1474.9	0.23
α-Muurolene	10.37*	1678.1	[67.76]	11.64	1498.0	0.02
γ-Cadinene	10.65*	1700.7	[0.02]	11.78	1508.5	0.01
δ-Cadinene	10.69*	1704.8	[0.20]	11.91	1519.0	0.02
Caryophyllene oxide isomer	12.97	1900.7	0.01	12.61*	1573.5	[0.05]
Caryophyllene oxide	13.05	1908.1	0.04	12.61*	1573.5	[0.05]
Viridiflorol	14.26	2020.8	0.06	12.75	1584.3	0.05
Total reported		98.75%			99.26%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index